Datarax

Cable ladder system

Support Comm's lightweight, strong cable ladder system for IT cable runs.





The Datarax IT cable ladder system allows the Network Installer to organise, store and deliver bundles of cables between cabinets, racks and equipment rooms, offering mechanical support for long runs of cables.

Datarax combines the features of cable ladder, tray and basket, offering great flexibility in installation and protection. The system features a light weight, robust and strong steel construction with a powder coat finish for long lasting durability.

Available in a variety of widths, heights and lengths, the system can be used horizontally or vertically, allowing optimum flexibility.

Datarax mounts to floors, walls, ceilings, racks, and cabinets, enabling cable support between and over cabinet's racks, along walls and suspended from the ceiling. A full range of fittings and accessories is available which allow a gradual bend radius to ensure maximum quality data transmission.

The system can also be powder coated in a range of colours to fit with your requirements.

Datarax has been used within the technology, telecommunication, government and healthcare markets.

Key features of the Datarax System include:

- Supplied in lightweight, 3 metre lengths (shorter lengths are available).
- Datarax is supplied in a standard black powder coated finish but other colours are available.
- A full complement of fittings and accessories.
- Datarax system can be supplied to meet the design and installation requirements of most projects.
- Accessories allow a gradual bend for all cabling.
- Easily configured for new and existing cable routing.
- ———— Mounts to floors, walls, ceilings, equipment racks, and cabinets.
 - Supports horizontal, vertical and overhead cable management.
 - The system is open on both sides and at the bottom to allow cables to enter and exit easily.

Specification

- Polyester Powder coated Black as standard (other colours available upon request).
- 100mm to 900mm wide as standard (custom widths available).
- 3m standard length (other lengths available upon request).
- Material thickness 3mm
- Side rail 50mm x 15mm channel
- Cross Rung spacing 300mm centre to centre
- Cross Rung dimensions 25mm x 15mm channel



• Datarax Ladder



• Waterfall



• Cable Post Retainers



Couplers (adjustable)



• Cable Post Retainers



• External or Internal Riser



• Double J Hanger



• Ceiling Bracket

Client List

Addleshaw Goddard DKW Data Centre News International

Allen & Overy East Surrey College Norton Rose

American Express HQ Easynet Norwich Union Data Centre

Aon Benfield EDS Wynyard DC Nottingham University

ATOS Euronext Paris Evercore Partners Npower
BAA Heathrow T2 Everything/Everywhere NYSE
Bank of China Fidelity HQ 02

Bank of Tokyo / Mitsubishi Fidessa Sentrum DC Opal

Barcap Fortis Bank Price Waterhouse Coopers

Barclays FSA Rackspace

BBC Fujitsu Data Centre Rathbones Brothers
BGC Gazprom Reuters Data Centre

Birmingham University Global Switch Rittal

Blackrock Goldman Sachs Rothschild

Bloomberg HSBC Royal Bank of Scotland

BMW Hutchinson 3G Royals Business Park

BPI G IndexSchroederBritish TelecomIPC MediaScotia Bank

Britvic JP Morgan Chase SMBC

BSI K & L Gates Societe General
BSkyB Kurt Geiger Standard Life
CAA Legal & General State Street Bank

Calyon Bank Lehman Brothers Stephenson Harwood

Cameron Mckenna Lloyds TSB Stirling College

Canary Wharf Macquarie Bank Sunguard Sentrum DC

Cancer Research UKMan GroupTata DCCapgeminiMarkitTelefonicaCentricaMellon BankThames House

Chorus Group Merck Sharp & Dome The Financial Ombudsman Service

CIBC MetLife Toronto - Dominion Bank

CMC Markets Moody's UCL Foster Court

Colt Morgan Stanley Universal Music Group

Dana Petroleum NBC Universal Studios Warwick University

Deloittes Network Rail Weil, Gotshal & Manges

sales@supportcomms.co.uk

Telephone: +44(0) 3333 213 720

Fax: +44(0) 3333 213 721

www.supportcomms.co.uk/datarax

13c Collins Road

Heathcote Industrial Estate

CV34 61F

United Kingdor